

Vedlegg til

Kornør, H. & Skarphedinsson, G. (2016). Måleegenskaper ved den norske versjonen av Schedule for Affective Disorders and Schizophrenia for School-Aged Children: Present and Lifetime Version (6-18) (Kiddie-SADS-PL). *PsykTestBarn*, 1:2.

Vedlegg 1. Ekskluderte publikasjoner, norsk søk

Dubletter

Hjelde Hansen, B., Skirbekk, B., Ørbeck, B., Wentzel-Larsen, T. & Kristensen, H. (2014). Associations between sleep problems and attentional and behavioral functioning in children with anxiety disorders and ADHD. *Behavioral Sleep Medicine*, 12(1), 53-68. doi: <http://dx.doi.org/10.1080/15402002.2013.764525>

Lundervold, A. J., Posserud, M., L, S. O. & Gillberg, C. (2008). Intellectual function in children with teacher reported language problems: Health and Disability. *Scandinavian Journal of Psychology*, 49(2), 187-193. doi: <http://dx.doi.org/10.1111/j.1467-9450.2007.00622.x>

Ingen Kiddie-SADS-PL-data

Ingul, J. M. & Nordahl, H. M. (2013). Anxiety as a risk factor for school absenteeism: What differentiates anxious school attenders from non-attenders? *Annals of General Psychiatry*, 12(25). doi:10.1186/1744-859X-12-25

Posserud, M.-B., Lundervold, A. J. & Gillberg, C. (2009). Validation of the Autism Spectrum Screening Questionnaire in a total population sample. *Journal of Autism and Developmental Disorders*, 39(1), 126-134. doi: <http://dx.doi.org/10.1007/s10803-008-0609-z>

Data fra andre land enn Norge

DeYoung, C. G., Getchell, M., Koposov, R. A., Yrigollen, C. M., Haeffel, G. J., Klinteberg, B. a. et al. (2010). Variation in the catechol-O-methyltransferase Val58Met polymorphism associated with conduct disorder and ADHD symptoms, among adolescent male delinquents. *Psychiatric Genetics*, 20(1), 20-24. doi: <http://dx.doi.org/10.1097/YPG.0b013e32833511e4>

Gorman, D. A., Thompson, N., Plessen, K. J., Robertson, M. M., Leckman, J. F. & Peterson, B. S. (2010). Psychosocial outcome and psychiatric comorbidity in older adolescents with Tourette syndrome: Controlled study. *The British Journal of Psychiatry*, 197(1), 36-44. doi: <http://dx.doi.org/10.1192/bjp.bp.109.071050>

Gudmundsson, O. O., Magnusson, P., Sæmundsen, E., Lauth, B., Baldursson, G., Skarphedinsson, G. et al. (2013). Psychiatric disorders in an urban sample of preschool children. *Child and Adolescent Mental Health*, 18(4), 210-217. doi: <http://dx.doi.org/10.1111/j.1475-3588.2012.00675.x>

Ivarsson, T., Granqvist, P., Gillberg, C. & Broberg, A. G. (2010). Attachment states of mind in adolescents with obsessive-compulsive disorder and/or depressive disorders: A controlled study. *European Child & Adolescent Psychiatry*, 19(11), 845-853. doi: <http://dx.doi.org/10.1007/s00787-010-0120-x>

Ivarsson, T., Melin, K. & Wallin, L. (2008). Categorical and dimensional aspects of co-morbidity in obsessive-compulsive disorder (OCD). *European Child and Adolescent Psychiatry*, 17(1), 20-31. doi: <http://dx.doi.org/10.1007/s00787-007-0626-z>

Jeppesen, P., Clemmensen, L., Munkholm, A., Rimvall, M. K., Rask, C. U., Jørgensen, T. et al. (2014). Psychotic experiences co-occur with sleep problems, negative affect and mental disorders in preadolescence. *Journal of Child Psychology and Psychiatry*. doi: 10.1111/jcpp.12319

Lauth, B. (2008). An Icelandic version of the Kiddie-SADS-PL : translation, cross-cultural adaptaiton and inter-rater reliability. *Nordic journal of psychiatry*, 62(5), 379 -385. DOI: 10.1080/08039480801984214

Lauth, B. (2010). Validity of K-SADS-PL (Schedule for Affective Disorders and Schizophrenia for School-Age Children—Present and Lifetime Version) depression diagnoses in an adolescent clinical population. *Nordic Journal of Psychiatry*, 64(6), 409 -420. DOI: 10.3109/08039481003777484

Nordström, T., Hurtig, T., Rodriguez, A., Savolainen, J., Rautio, A., Moilanen, I. et al. (2014). Different Risk Factors Between Disruptive Behavior Disorders and ADHD in Northern Finland Birth Cohort 1986. *Journal of Attention Disorders*. doi: 10.1177/1087054714538654

Petersen, D. J. & Bilenberg, N. (2002). Dansk oversættelse af det diagnostiske børne- og ungdomspsykiatriske interview "Schedule for Affective Disorders and Schizophrenia for Schhol-Aged Children». *Ugeskrift for Læger*, 164(26), 3433-3435.

Ingen relevante data

Andersen, P. N., Hovik, K. T., Skogli, E. W., Egeland, J. & Øie, M. (2013). Symptoms of ADHD in children with high-functioning autism are related to impaired verbal working memory and verbal delayed recall. *PLoS ONE*, 8(5). doi: <http://dx.doi.org/10.1371/journal.pone.0064842>

Andersson, S., Posserud, M.-B. & Lundervold, A. J. (2013). Early and late auditory event-related potentials in cognitively high functioning male adolescents with autism spectrum disorder. *Research in Autism Spectrum Disorders*, 7(7), 815-823. doi: <http://dx.doi.org/10.1016/j.rasd.2013.03.007>

Bjorgaas, H., Elgen, I., Ryland, H. & Hysing, M. (2014). Autism spectrum symptoms in children with cerebral palsy: Prevalence and co-occurring conditions. *Research in Autism Spectrum Disorders*, 8(5), 581-588. doi: <http://dx.doi.org/10.1016/j.rasd.2014.01.011>

Drugli, M. B. & Larsson, B. (2009). When young children have conduct problems - Who are the nonresponders after parent training? *European Psychiatry*, 24, S1042.

Eichele, H., Eichele, T., Hammar, A., Freyberger, H. J., Hugdahl, K. & Plessen, K. J. (2010). Go/NoGo performance in boys with Tourette syndrome. *Child Neuropsychology*, 16(2), 162-168. doi: <http://dx.doi.org/10.1080/09297040903150182>

Ekornås, B., Lundervold, Tjus & Heimann. (2010). Anxiety disorders in 8-11-year-old children: Motor skill performance and self-perception of competence. *Scandinavian Journal of Psychology*, 51(3), 271-277. doi: <http://dx.doi.org/10.1111/j.1467-9450.2009.00763.x>

Fikke, L. T., Melinder, A. & Landrø, N. I. (2011). Executive functions are impaired in adolescents engaging in non-suicidal self-injury. *Psychological Medicine*, 41(3), 601-610. doi: <http://dx.doi.org/10.1017/S0033291710001030>

Fikke, L. T., Melinder, A. & Landrø, N. I. (2011). Executive functions are impaired in adolescents engaging in non-suicidal self-injury. *Psychological Medicine*, 41(3), 601-610. doi: <http://dx.doi.org/10.1017/S0033291710001030>

Fuentes, J., Danckaerts, M., Cardo, E., Puvanendran, K., Berquin, P., De Bruyckere, K. et al. (2013). Long-term quality-of-life and functioning comparison of atomoxetine versus other standard treatment in pediatric attention-deficit/hyperactivity disorder. *Journal of Clinical Psychopharmacology*, 33(6), 766-774.

Grindvik, A. S., Hodol, J. S., Vik, T., Evensen, K. A. I., Skranes, J., Brubakk, A.-M. et al. (2009). Bullying among adolescents with very low birth weight. *Acta Paediatrica*, 98(6), 1049-1056. doi:

<http://dx.doi.org/10.1111/j.1651-2227.2009.01253.x>

Hazell, P., Zhang, S., Wolanczyk, T., Barton, J., Johnson, M., Zuddas, A. et al. (2006). Comorbid oppositional defiant disorder and the risk of relapse during 9 months of atomoxetine treatment for attention-deficit/hyperactivity disorder. *European Child & Adolescent Psychiatry*, 15(2), 105-110. doi:

<http://dx.doi.org/10.1007/s00787-006-0506-y>

Helland, W. A., Lundervold, A. J., Heimann, M. & Posserud, M.-B. (2014). Stable associations between behavioral problems and language impairments across childhood-The importance of pragmatic language problems. *Research in Developmental Disabilities*, 35(5), 943-951. doi:

<http://dx.doi.org/10.1016/j.ridd.2014.02.016>

Herud, N. A. & Sund, A. M. (2013). Gender differences in depressive symptomatology in adolescents. *European Child and Adolescent Psychiatry*, 1), S300. doi: <http://dx.doi.org/10.1007/s00787-013-0423-9>

Indredavik, M. S., Vik, T., Heyerdahl, S., Kulseng, S. & Brubakk, A. M. (2005). Psychiatric symptoms in low birth weight adolescents, assessed by screening questionnaires. *European Child and Adolescent Psychiatry*, Supplement, 14(4), 226-236. doi: 10.1007/s00787-005-0459-6

Israel, P. & Diamond, G. S. (2013). Feasibility of attachment based family therapy for depressed clinic-referred Norwegian adolescents. *Clinical Child Psychology and Psychiatry*, 18(3), 334-350. doi: 10.1177/1359104512455811

Ivarsson, T. & Melin, K. (2008). Autism spectrum traits in children and adolescents with obsessive-compulsive disorder (OCD). *Journal of Anxiety Disorders*, 22(6), 969-978. doi:

<http://dx.doi.org/10.1016/j.janxdis.2007.10.003>

Munkvold, L. H., Manger, T. & Lundervold, A. J. (2014). Conners' continuous performance test (CCPT-II) in children with ADHD/ODD, or a combined ADHD/ODD diagnosis. *Child Neuropsychology*, 20(1), 106-126. doi: <http://dx.doi.org/10.1080/09297049.2012.753997>

Nrugham, L., Holen, A. & Sund, A. M. (2010). Associations between attempted suicide, violent life events, depressive symptoms, and resilience in adolescents and young adults. *Journal of Nervous and Mental Disease*, 198(2), 131-136. doi: <http://dx.doi.org/10.1097/NMD.0b013e3181cc43a2>

Øie, M., Skogli, E. W., Andersen, P. N., Hovik, K. T. & Hugdahl, K. (2014). Differences in cognitive control in children and adolescents with combined and inattentive subtypes of ADHD. *Child Neuropsychology*, 20(1), 38-48. doi: <http://dx.doi.org/10.1080/09297049.2012.741224>

Plessen, K. J., Bansal, R., Zhu, H., Whiteman, R., Amat, J., Quackenbush, G. A. et al. (2006). Hippocampus and Amygdala Morphology in Attention-Deficit/Hyperactivity Disorder. *Archives of General Psychiatry*, 63(7), 795-807. doi: <http://dx.doi.org/10.1001/archpsyc.63.7.795>

Plessen, K. J., Grüner, R., Lundervold, A., Hirsch, J. G., Xu, D., Bansal, R. et al. (2006). Reduced white matter connectivity in the corpus callosum of children with Tourette syndrome. *Journal of Child Psychology and Psychiatry*, 47(10), 1013-1022. doi: <http://dx.doi.org/10.1111/j.1469-7610.2006.01639.x>

Plessen, K. J., Hugdahl, K., Bansal, R., Hao, X. & Peterson, B. S. (2014). Sex, age, and cognitive correlates of asymmetries in thickness of the cortical mantle across the life Span. *The Journal of Neuroscience*, 34(18), 6294-6302. doi: <http://dx.doi.org/10.1523/JNEUROSCI.3692-13.2014>

Plessen, K. J., Lundervold, A., Grüner, R., Hammar, A., Lundervold, A., Peterson, B. S. et al. (2007). Functional brain asymmetry, attentional modulation, and interhemispheric transfer in boys with Tourette syndrome. *Neuropsychologia*, 45(4), 767-774. doi: <http://dx.doi.org/10.1016/j.neuropsychologia.2006.08.006>

Skjelstad, D. V., Holte, A. & Malt, U. F. (2011). Genuine clinical predictors of bipolar II disorder: An exploration of temporal and contextual characteristics. *Journal of Affective Disorders*, 135(1-3), 419-423. doi: <http://dx.doi.org/10.1016/j.jad.2011.08.029>

Skjelstad, D. V., Holte, A. & Malt, U. F. (2012). Putative early manifestations of bipolar II disorder emerge later in the initial prodrome than manifestations hypothesized to be unrelated: An exploratory study. *Early Intervention in Psychiatry*, 6(4), 460-464. doi: <http://dx.doi.org/10.1111/j.1751-7893.2012.00348.x>

Skjelstad, D. V., Malt, U. F. & Holte, A. (2010). Symptoms and signs of the initial prodrome of bipolar disorder, type II: A qualitative study. *Journal of Affective Disorders*, 122, S51. doi: <http://dx.doi.org/10.1016/j.jad.2010.02.053>

Skjelstad, D. V., Malt, U. F. & Holte, A. (2011). Symptoms and behaviors prior to the first major affective episode of bipolar ii disorder. An exploratory study. *Journal of Affective Disorders*, 132(3), 333-343. doi: <http://dx.doi.org/10.1016/j.jad.2011.03.003>

Skogli, E. W., Egeland, J., Andersen, P. N., Hovik, K. T. & Øie, M. (2014). Few differences in hot and cold executive functions in children and adolescents with combined and inattentive subtypes of ADHD. *Child Neuropsychology*, 20(2), 162-181. doi: <http://dx.doi.org/10.1080/09297049.2012.753998>

Skranes, J., Vangberg, T. R., Kulseng, S., Indredavik, M. S., Evensen, K. A. I., Martinussen, M. et al. (2007). Clinical findings and white matter abnormalities seen on diffusion tensor imaging in adolescents with very low birth weight. *Brain*, 130(3), 654-666. doi: <http://dx.doi.org/10.1093/brain/awm001>

Valderhaug, R. & Ivarsson, T. (2005). Functional impairment in clinical samples of Norwegian and Swedish children and adolescents with obsessive-compulsive disorder. *European Child and Adolescent Psychiatry*, Supplement, 14(3), 164-173. doi: <http://dx.doi.org/10.1007/s00787-005-0456-9>

Valderhaug, R., Larsson, B., Gotestam, K. G. & Piacentini, J. (2007). An open clinical trial of cognitive-behaviour therapy in children and adolescents with obsessive-compulsive disorder administered in regular outpatient clinics. *Behaviour Research and Therapy*, 45(3), 577-589. doi: <http://dx.doi.org/10.1016/j.brat.2006.04.011>

Worren, M. K., Hugdahl, K., Ersland, L. & Plessen, K. J. (2013). How do children perceive a magnetic resonance imaging examination (MRI)? A survey. *Tidsskrift for Norsk Psykologforening*, 50(3), 208-213.

Zeiner, P., Gjevik, E. & Weidle, B. (2011). Response to atomoxetine in boys with high-functioning autism spectrum disorders and attention deficit/hyperactivity disorder. *Acta Paediatrica*, 100(9), 1258-1261. doi: <http://dx.doi.org/10.1111/j.1651-2227.2011.02263.x>

Data allerede rapportert i annen, inkludert publikasjon

Agerup, T., Lydersen, S., Wallander, J. & Sund, A. M. (2014). Longitudinal Course of Diagnosed Depression from Ages 15 to 20 in a Community Sample: Patterns and Parental Risk Factors. *Child Psychiatry & Human Development*. doi: 10.1007/s10578-014-0444-8

Agerup, T., Lydersen, S., Wallander, J. & Sund, A. M. (2014). Maternal and paternal psychosocial risk factors for clinical depression in a Norwegian community sample of adolescents. *Nordic Journal of Psychiatry*, 1-7. doi: 10.3109/08039488.2014.919021

Nrugham, L., Holen, A. & Sund, A. M. (2010). Associations between attempted suicide, violent life events, depression, resilience and suicide by early adulthood. *European Psychiatry*, 25. doi:

<http://dx.doi.org/10.1016/S0924-9338%2810%2970430-2>

Nrugham, L., Holen, A. & Sund, A. M. (2012). Suicide attempters and repeaters: Depression and coping: A prospective study of early adolescents followed up as young adults. *Journal of Nervous and Mental Disease*, 200(3), 197-203. doi: <http://dx.doi.org/10.1097/NMD.0b013e318247c914>

Sund, A. M., Larsson, B. & Wichstrom, L. (2011). Prevalence and characteristics of depressive disorders in early adolescents in central Norway. *Child and Adolescent Psychiatry and Mental Health*, 5, 28. doi:
<http://dx.doi.org/10.1186/1753-2000-5-28>

Hansen, B. H., Skirbekk, B., Oerbeck, B., Richter, J. & Kristensen, H. (2011). Comparison of sleep problems in children with anxiety and attention deficit/hyperactivity disorders. *European Child and Adolescent Psychiatry*, 20(6), 321-330. doi: <http://dx.doi.org/10.1007/s00787-011-0179-z>

Hansen, B. H., Skirbekk, B., Oerbeck, B., Wentzel-Larsen, T. & Kristensen, H. (2013). Associations Between Sleep Problems and Attentional and Behavioral Functioning in Children With Anxiety Disorders and ADHD. *Behavioral Sleep Medicine*. doi: 10.1080/15402002.2013.764525

Hansen, B. H., Skirbekk, B., Oerbeck, B., Wentzel-Larsen, T. & Kristensen, H. (2013). Persistence of sleep problems in children with anxiety and attention deficit hyperactivity disorders. *Child Psychiatry and Human Development*, 44(2), 290-304. doi: <http://dx.doi.org/10.1007/s10578-012-0325-y>

Skirbekk, B., Hansen, B. H., Ørbeck, B., Wentzel-Larsen, T. & Kristensen, H. (2012). Motor impairment in children with anxiety disorders. *Psychiatry Research*, 198(1), 135-139. doi:

<http://dx.doi.org/10.1016/j.psychres.2011.12.008>

Indredavik, M. S., Skranes, J. S., Vik, T., Heyerdahl, S., Romundstad, P., Myhr, G. E. et al. (2005). Low-birth-weight adolescents: Psychiatric symptoms and cerebral MRI abnormalities. *Pediatric Neurology*, 33(4), 259-266. doi: <http://dx.doi.org/10.1016/j.pediatrneurol.2005.05.002>

Indredavik, M. S., Vik, T., Evensen, K. A. I., Skranes, J., Taraldsen, G. & Brubakk, A. M. (2010). Perinatal risk and psychiatric outcome in adolescents born preterm with very low birth weight or term small for gestational age. *Journal of Developmental and Behavioral Pediatrics*, 31(4), 286-294. doi:

<http://dx.doi.org/10.1097/DBP.0b013e3181d7b1d3>

Drugli, M. B., Fossum, S., Larsson, B. & Mørch, W.-T. (2010). Characteristics of young children with persistent conduct problems 1 year after treatment with the Incredible Years program. *European Child & Adolescent Psychiatry*, 19(7), 559-565. doi: <http://dx.doi.org/10.1007/s00787-009-0083-y>

Drugli, M. B., Larsson, B. & Clifford, G. (2007). Changes in social competence in young children treated because of conduct problems as viewed by multiple informants. *European Child & Adolescent Psychiatry*, 16(6), 370-378. doi: <http://dx.doi.org/10.1007/s00787-007-0609-0>

Drugli, M. B., Larsson, B., Clifford, G. & Fossum, S. (2007). Pervasive and non-pervasive conduct problems in a clinic sample aged 4-8 years: Child, family and day-care/school factors. *Scandinavian Journal of Educational Research*, 51(5), 547-559. doi: <http://dx.doi.org/10.1080/00313830701576680>

Drugli, M. B., Larsson, B., Fossum, S. & Mørch, W. T. (2010). Five- to six-year outcome and its prediction for children with ODD/CD treated with parent training. *Journal of child psychology and psychiatry, and allied disciplines*, 51(5), 559-566. doi:10.1111/j.1469-7610.2009.02178.x

Fossum, S., Mørch, W.-T., Handegard, B. H. & Drugli, M. B. (2007). Childhood disruptive behaviors and family functioning in clinically referred children: Are girls different from boys? *Scandinavian Journal of Psychology*, 48(5), 375-382. doi: <http://dx.doi.org/10.1111/j.1467-9450.2007.00617.x>

Fossum, S., Mørch, W.-T., Handegard, B. H., Drugli, M. B. & Larsson, B. (2009). Parent training for young Norwegian children with ODD and CD problems: Predictors and mediators of treatment outcome. *Scandinavian Journal of Psychology*, 50(2), 173-181. doi: <http://dx.doi.org/10.1111/j.1467-9450.2008.00700.x>

Hobbel, S. & Drugli, M. B. (2013). Symptom changes of oppositional defiant disorder after treatment with the Incredible Years Program. *Nordic Journal of Psychiatry*, 67(2), 97-103. doi: <http://dx.doi.org/10.3109/08039488.2012.685888>

Kristensen, H. & Torgersen, S. (2008). Is social anxiety disorder in childhood associated with developmental deficit/delay? *European Child and Adolescent Psychiatry*, 17(2), 99-107. doi: <http://dx.doi.org/10.1007/s00787-007-0642-z>

Udal, A. H., Malt, U. F., Løvdahl, H., Gjærum, B., Pripp, A. H. & Grøholt, B. (2009). Motor function may differentiate attention deficit hyperactivity disorder from early onset bipolar disorder. *Behavioral and Brain Functions*, 5, 47. doi: <http://dx.doi.org/10.1186/1744-9081-5-47>

Udal, A. H., Øygarden, B., Egeland, J., Malt, U. F., Løvdahl, H., Pripp, A. H. et al. (2013). Executive deficits in early onset bipolar disorder versus ADHD: Impact of processing speed and lifetime psychosis. *Clinical Child Psychology and Psychiatry*, 18(2), 284-299. doi: <http://dx.doi.org/10.1177/1359104512455181>

Gjekk, E., Sandstad, B., Andreassen, O. A., Myhre, A. M. & Sponheim, E. (2014). Exploring the agreement between questionnaire information and DSM-IV diagnoses of comorbid psychopathology in children with autism spectrum disorders. *Autism*. doi: 10.1177/1362361314526003

Bjørgaas, H. M., Elgen, I., Bøe, T. & Hysing, M. (2013). Mental health in children with cerebral palsy: does screening capture the complexity? *The Scientific World Journal*, 2013, 468402. doi: <http://dx.doi.org/10.1155/2013/468402>

Lundervold, A., Posserud, M., Sorensen, L. & Gillberg, C. (2008). Intellectual function in children with teacher reported language problems. *Scandinavian Journal of Psychology*, 49(2), 187-193. doi: <http://dx.doi.org/10.1111/j.1467-9450.2007.00622.x>

Ryland, H. K., Lundervold, A. J., Elgen, I. & Hysing, M. (2010). Is there a protective effect of normal to high intellectual function on mental health in children with chronic illness? *Child and Adolescent Psychiatry and Mental Health*, 4, 3. doi: <http://dx.doi.org/10.1186/1753-2000-4-3>

Sørensen, L., Plessen, K. J. & Lundervold, A. J. (2012). The impact of inattention and emotional problems on cognitive control in primary school children. *Journal of Attention Disorders*, 16(7), 589-599. doi: <http://dx.doi.org/10.1177/1087054711417394>

Sørensen, L., Plessen, K. J., Nicholas, J. & Lundervold, A. J. (2011). Is behavioral regulation in children with ADHD aggravated by comorbid anxiety disorder? *Journal of Attention Disorders*, 15(1), 56-66. doi: <http://dx.doi.org/10.1177/1087054709356931>

Tillman, C. M., Bohlin, G., Sørensen, L. & Lundervold, A. J. (2009). Intellectual deficits in children with ADHD beyond central executive and non-executive functions. *Archives of Clinical Neuropsychology*, 24(8), 769-782. doi: <http://dx.doi.org/10.1093/arclin/acp075>

Tillman, C. M., Bohlin, G., Sørensen, L. & Lundervold, A. J. (2009). Intelligence and specific cognitive abilities in children. *Journal of Individual Differences*, 30(4), 209-219. doi: <http://dx.doi.org/10.1027/1614-0001.30.4.209>