

Vedlegg til

Kornør, H. & Heyerdahl, S. (2013). Måleegenskaper ved den norske versjonen av Strengths and Difficulties Questionnaire , selvrappport (SDQ-S). *PsykTestBARN*, 2:6.

Vedlegg 1. Ekskluderte publikasjoner

Ikke SDQ-S

Alfstad, K. A., Clench-Aas, J., Van Roy, B., Mowinckel, P., Gjerstad, L., & Lossius, M. I. (2011). Psychiatric symptoms in Norwegian children with epilepsy aged 8-13 years: Effects of age and gender? *Epilepsia*, 52(7), 1231-1238. doi: <http://dx.doi.org/10.1111/j.1528-1167.2011.03042.x>

Bals, M., Turi, A. L., Skre, I., & Kvernmo, S. (2011). The relationship between internalizing and externalizing symptoms and cultural resilience factors in Indigenous Sami youth from Arctic Norway. *International Journal of Circumpolar Health*, 70(1), 37-45.

Lundervold AJ, Heimann M, Manger T. Behaviour-emotional characteristics of primary-school children rated as having language problems. *Br J Educ Psychol* 2008;78(4):567-80.

Mathiassen, B., Brondbo, P. H., Waterloo, K., Martinussen, M., Eriksen, M., Hanssen-Bauer, K., & Kvernmo, S. (2012). IQ as a predictor of clinician-rated mental health problems in children and adolescents. *British Journal of Clinical Psychology*, 51(2), 185-196. doi: <http://dx.doi.org/10.1111/j.2044-8260.2011.02023.x>

Mathiesen KS, Prior M. The impact of temperament factors and family functioning on resilience processes from infancy to school age. *European Journal of Developmental Psychology* 2006 Dec;3(4):357-87.

Munkvold L, Lundervold A, Lie SA, Manger T. Should there be separate parent and teacherbased categories of ODD? Evidence from a general population. *J Child Psychol Psychiatry* 2009;50(10):1264-72.

Munkvold, L. H., Lundervold, A. J., & Manger, T. (2011). Oppositional defiant disorder-Gender differences in co-occurring symptoms of mental health problems in a general population of children. *Journal of Abnormal Child Psychology*, 39(4), 577-587. doi: <http://dx.doi.org/10.1007/s10802-011-9486-6>

Becker et al. Psychopathological screening of children with ADHD: Strengths and Difficulties Questionnaire in a pan- European study, *Eur Child Adolesc Psychiatry*. 2006.

Brondbo, P. H., Mathiassen, B., Martinussen, M., Heiervang, E., Eriksen, M., Moe, T. F., . . . Kvernmo, S. (2011). The Strengths and Difficulties Questionnaire as a screening instrument for Norwegian Child and Adolescent Mental Health Services, application of UK scoring algorithms. *Child and Adolescent Psychiatry and Mental Health*, 5, 32.

Nordhov, S., Ronning, J. A., Ulvund, S. E., Dahl, L. B., & KaareSEN, P. I. (2012). Early intervention improves behavioral outcomes for preterm infants: Randomized controlled trial. *Pediatrics*, 129(1), e9-e16. doi: <http://dx.doi.org/10.1542/peds.2011-0248>

Eivers, A. R., Brendgen, M., & Borge, A. I. (2010). Stability and change in prosocial and antisocial behavior across the transition to school: Teacher and peer perspectives. *Early Education and Development*, 21(6), 843-864. doi: <http://dx.doi.org/10.1080/10409280903390684>

Eivers, A. R., Brendgen, M., Vitaro, F., & Borge, A. I. (2012). Concurrent and longitudinal links between children's and their friends' antisocial and prosocial behavior in preschool. *Early Childhood Research Quarterly*, 27(1), 137-146. doi: <http://dx.doi.org/10.1016/j.ecresq.2011.05.001>

Obel C, Heiervang E, Rodriguez A, Heyerdahl S, Smedje H, Sourander A, et al. The strengths and difficulties questionnaire in the nordic countries. *European Child and Adolescent Psychiatry*, Supplement 2004;13(2):II/32-II/39.

Posserud B, Lundervold AJ, Steijnen MC, Verhoeven S, Stormark KM, Gillberg C. Factor analysis of the Autism Spectrum Screening Questionnaire. *Autism* 2008 Jan;12(1):99-112.

Preuss, U., Ralston, S. J., Baldursson, G., Falissard, B., Lorenzo, M. J., Rodrigues Pereira, R., . . . Coghill, D. (2006). Study design, baseline patient characteristics and intervention in a cross-cultural framework: Results from the ADORÉ study. *European Child and Adolescent Psychiatry*, 15(Suppl1), 4-19. doi: <http://dx.doi.org/10.1007/s00787-006-1002-0>

Ekornas, B., Heimann, M., Tjus, T., Heyerdahl, S., & Lundervold, A. J. (2011). Primary school children's peer relationships: Discrepancies in self-perceived social acceptance in children with emotional or behavioral disorders. *Journal of Social and Clinical Psychology*, 30(6), 570-582. doi: <http://dx.doi.org/10.1521/jscp.2011.30.6.570>

Elgen, S., Leversen, K., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Mental health among children born extremely premature: A national population based study. *European Psychiatry*, 27. doi: <http://dx.doi.org/10.1016/S0924-9338%2812%2974112-3>

Heiervang E, Stormark KM, Lundervold AJ, Heimann M, Goodman R, Posserud M-B, et al. Psychiatric disorders in Norwegian 8- to 10-year-olds: An epidemiological survey of prevalence, risk factors, and service use. *J Am Acad Child Adolesc Psychiatry* 2007;46(4):438-47.

Holen, S., Lervag, A., Waaktaar, T., & Ystgaard, M. (2012). Exploring the associations between coping patterns for everyday stressors and mental health in young schoolchildren. *Journal of School Psychology*, 50(2), 167-193. doi: <http://dx.doi.org/10.1016/j.jsp.2011.10.006>

Ramstad, K., Jahnsen, R., Skjeldal, O. H., & Diseth, T. H. (2012). Parent-reported participation in children with cerebral palsy: The contribution of recurrent musculoskeletal pain and child mental health problems. *Developmental Medicine and Child Neurology*, 54(9), 829-835. doi: <http://dx.doi.org/10.1111/j.1469-8749.2012.04341.x>

Karevold, E., Coplan, R., Stoolmiller, M., & Mathiesen, K. S. (2011). A longitudinal study of the links between temperamental shyness, activity, and trajectories of internalising problems from infancy to middle childhood. *Australian Journal of Psychology*, 63(1), 36-43. doi: <http://dx.doi.org/10.1111/j.1742-9536.2011.00005.x>

Ronning JA, Handegard BH, Sourander A, Mørch W-T. The Strengths and Difficulties Self-Report Questionnaire as a screening instrument in Norwegian community samples. *Eur Child Adolesc Psychiatry* 2004;13(2):73-82.

Holen, S., Waaktaar, T., Lervag, A., & Ystgaard, M. (2012). The effectiveness of a universal school-based programme on coping and mental health: A randomised, controlled study of Zippy's Friends. *Educational Psychology*, 32(5), 657-677. doi: <http://dx.doi.org/10.1080/01443410.2012.686152>

Sanne B, Torsheim T, Heiervang E, Stormark KM. The Strengths and Difficulties Questionnaire in the Bergen Child Study: A Conceptually and Methodically Motivated Structural Analysis. *Psychol Assess* 2009;21(3):352-64.

Hysing M, Elgen I, Gillberg C, Lie SA, Lundervold AJ. Chronic physical illness and mental health in children. Results from a large-scale population study. *J Child Psychol Psychiatry* 2007;48(8):785-92.

Soderqvist, S., Nutley, S. B., Ottersen, J., Grill, K. M., & Klingberg, T. (2012). Computerized training of non-verbal reasoning and working memory in children with intellectual disability. *Frontiers in Human Neuroscience*, 6, 271. doi: <http://dx.doi.org/10.3389/fnhum.2012.00271>

Hysing M, Elgen I, Gillberg C, Lundervold AJ. Emotional and behavioural problems in subgroups of children with chronic illness: results from a large-scale population study. *Child Care Health Dev* 2009 Jul;35(4):527-33.

Sorensen, L., Plessen, K. J., & Lundervold, A. J. (2012). The impact of inattention and emotional problems on cognitive control in primary school children. *Journal of Attention Disorders*, 16(7), 589-599. doi: <http://dx.doi.org/10.1177/1087054711417394>

Javo C, Ronning JA, Handegard BH, Rudmin FW. Cross-informant correlations on social competence and behavioral problems in Sami and Norwegian preadolescents. *Eur Child Adolesc Psychiatry* 2009;18(3):154-63.

Ullebo, A. K., Posserud, M.-B., Heiervang, E., Gillberg, C., & Obel, C. (2011). Screening for the attention deficit hyperactivity disorder phenotype using the strength and difficulties questionnaire. *European Child and Adolescent Psychiatry*, 20(9), 451-458. doi: <http://dx.doi.org/10.1007/s00787-011-0198-9>

Walhovd, K. B., Tamnes, C. K., Ostby, Y., Due-Tonnessen, P., & Fjell, A. M. (2012). Normal variation in behavioral adjustment relates to regional differences in cortical thickness in children. *European Child and Adolescent Psychiatry*, 21(3), 133-140. doi: <http://dx.doi.org/10.1007/s00787-012-0241-5>

Wichstrom, L., Berg-Nielsen, T. S., Angold, A., Egger, H. L., Solheim, E., & Sveen, T. H. (2012). Prevalence of psychiatric disorders in preschoolers. *Journal of Child Psychology and Psychiatry*, 53(6), 695-705. doi: <http://dx.doi.org/10.1111/j.1469-7610.2011.02514.x>

Ingen relevante data

Achenbach TM, Becker A, Dopfner M, Heiervang E, Roessner V, Steinhausen H-C, et al. Multicultural assessment of child and adolescent psychopathology with ASEBA and SDQ instruments: Research findings, applications, and future directions. *J Child Psychol Psychiatry* 2008;49(3):251-75.

Alfstad K, Clench-Aas J, Van RB, Gjerstad L, Lossius MI. Changing prevalence of psychiatric symptoms in children and youth with epilepsy. A population based study - The akershus health profile study. *Epilepsia* 2009 Nov;Conference: 2009 Annual Meeting of the American Epilepsy Society Boston, MA United States.

Alfstad, K. A., Clench-Aas, J., Van Roy, B., Mowinckel, P., Gjerstad, L., & Lossius, M. I. (2012). Risk taking behaviour in Norwegian youth with epilepsy. *Epilepsy and Behavior*, 24 (2), 189-190. doi: <http://dx.doi.org/10.1016/j.yebeh.2011.04.036>

Boe, T., Overland, S., Lundervold, A. J., & Hysing, M. (2012). Socioeconomic status and children's mental health: Results from the Bergen child study. *Social Psychiatry and Psychiatric Epidemiology*, 47(10), 1557-1566. doi: <http://dx.doi.org/10.1007/s00127-011-0462-9>

Cuypers, K., De Ridder, K., & Strandheim, A. (2011). The effect of therapeutic horseback riding on 5 children with attention deficit hyperactivity disorder: A pilot study. *The Journal of Alternative and Complementary Medicine*, 17(10), 901-908. doi: <http://dx.doi.org/10.1089/acm.2010.0547>

Eilertsen, M. E. B., Rannestad, T., Indredavik, M. S., Vik, T., Reinfjell, T., & Killingberg, H. (2010). Psychosocial health in children and adolescents surviving cancer. *Pediatric Blood and Cancer*, 55 (5), 983. doi: <http://dx.doi.org/10.1002/pbc.22779>

Elgen, S. K., Leversen, K. T., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Mental health at 5 years among children born extremely preterm: A national population-based study. *European Child and Adolescent Psychiatry*, 21(10), 583-589. doi: <http://dx.doi.org/10.1007/s00787-012-0298-1>

Grindvik AS, Hodol JS, Vik T, Evensen KA, Skranes J, Brubakk AM, et al. Bullying among adolescents with very low birth weight. *Acta Paediatr* 2009;98(6):1049-56.

Halvorsen JA, Stern RS, Dalgard F, Thoresen M, Bjertness E, Lien L. Suicidal ideation, mental health problems and social impairment are increased in acne: A population-based study in adolescents. *J Invest Dermatol* 2010 Sep

Halvorsen, J. A., Stern, R. S., Dalgard, F., Thoresen, M., Bjertness, E., & Lien, L. (2011). Suicidal ideation, mental health problems, and social impairment are increased in adolescents with acne: a population-based study. *Journal of Investigative Dermatology*, 131(2), 363-370. doi: <http://dx.doi.org/10.1038/jid.2010.264>

Heyerdahl S. SDQ - strength and difficulties questionnaire : en orientering om et nytt spørreskjema for kartlegging av mental helse hos barn og unge, brukt i UNGHUBRO, OPPHED og TROFINN. Norsk epidemiologi 2003;Årg. 13, nr 1):127-35.

Hysing M. Sleep and emotional problems in children with a chronic illness. J Sleep Res 2010 Sep;Conference: 20th Congress of the European Sleep Research Society Lisbon Portugal. Conference Start: 20100914 Conference End: 20100918. Conference: 20th Congress of the European Sleep Research Society Lisbon Portugal. Conference Start: 20100914 Conference End: 20100918. Conference Publication:(var.pagings):204.

Hysing, M. (2010). Sleep and emotional problems in children with a chronic illness. Journal of Sleep Research, 19, 204. doi: <http://dx.doi.org/10.1111/j.1365-2869.2010.00868.x>

Killingberg, H., Eilertsen, M. E., & Ingebrigtsen, O. (2010). Rehabilitation for children with late effects after cancer. Pediatric Blood and Cancer, 55 (5), 981. doi: <http://dx.doi.org/10.1002/pbc.22779>

Lange, K., De Beaufort, C., Fisher, L. K., Hoey, H., Kocova, M., Mortensen, H. B., . . . Swift, P. (2011). Prevalence of behaviour difficulties and their predictors in an international cohort of 1090 young children with type 1 diabetes. Pediatric Diabetes, 12, 20. doi: <http://dx.doi.org/10.1111/j.1399-5448.2011.01817.x>

Lien L, Green K, Thoresen M, Bjertness E. Atopic conditions and mental health problems: A 3-year follow-up study. Eur Child Adolesc Psychiatry 2010 Sep;19(9):705-13.

Lien L, Green K, Welander-Vatn A, Bjertness E. Mental and somatic health complaints associated with school bullying between 10th and 12th grade students; results from cross sectional studies in Oslo, Norway. Clin Pract Epidemiol Ment Health 2009;5:6.

Lien L, Lien N, Heyerdahl S, Thoresen M, Bjertness E. Consumption of soft drinks and hyperactivity, mental distress, and conduct problems among adolescents in Oslo, Norway. Am J Public Health 2006;96(10):1815-20.

Lien L. The association between mental health problems and inflammatory conditions across gender and immigrant status: A population-based cross-sectional study among 10th-grade students. Scand J Public Health 2008;36(4):353-60.

Moe, T. F., & Sæther, G. (2010). The ability of the strengths and difficulties questionnaire to detect mental health disorders in a child and adolescent outpatient clinic in Northern-Norway. Tromsø: University of Tromsø.

Novik TS, Hervas A, Ralston SJ, Dalsgaard S, Pereira RR, Lorenzo MJ. Influence of gender on Attention-Deficit/Hyperactivity Disorder in Europe - ADORE. European Child & Adolescent Psychiatry 2006;15(Suppl1):5-24.

Ogrim, G., Kropotov, J., & Hestad, K. (2012). The quantitative EEG theta/beta ratio in attention deficit/hyperactivity disorder and normal controls: Sensitivity, specificity, and behavioral correlates. Psychiatry Research, 198(3), 482-488. doi: <http://dx.doi.org/10.1016/j.psychres.2011.12.041>

Preuss U, Ralston SJ, Baldursson G, Falissard B, Lorenzo MJ, Rodrigues Pereira R, et al. Study design, baseline patient characteristics and intervention in a cross-cultural framework: Results from the ADORE study. European Child & Adolescent Psychiatry 2006;15(Suppl1):4-19.

Ramstad, K., Jahnsen, R. B., Skjeldal, O. H., & Diseth, T. H. (2012). Recurrent musculoskeletal pain in paediatric cerebral palsy: Relations to participation as reported by parents. Developmental Medicine and Child Neurology, 54, 5-6. doi: <http://dx.doi.org/10.1111/j.1469-8749.2012.04297.x>

Reinfjell T, Lofstad GE, Nordahl HM, Vikan A, Diseth TH. Children in remission from acute lymphoblastic leukaemia: mental health, psychosocial adjustment and parental functioning. Eur J Cancer Care (Engl) 2009 Jul;18(4):364-70.

Reinfjell, T., Elisabeth Lofstad, G., Eilertsen, M. E., & Diseth, T. H. (2010). Children in remission from acute lymphoblastic leukaemia: Mental health and psychosocial adjustment. *Pediatric Blood and Cancer*, 55 (5), 968. doi: <http://dx.doi.org/10.1002/pbc.22779>

Sandvik V, Hysing M, Lundervold AJ. Strengths and Difficulties Questionnaire (SDQ) in assessment of psychological problems in children with mental retardation. [Norwegian]. *Tidsskrift for Norsk Psykologforening* 2007;44(6):750-4.

Sivertsen, B., Posserud, M.-B., Gillberg, C., Lundervold, A. J., & Hysing, M. (2012). Sleep problems in children with autism spectrum problems: A longitudinal population-based study. *Autism*, 16(2), 139-150. doi: <http://dx.doi.org/10.1177/1362361311404255>

Sorensen L, Hugdahl K, Lundervold AJ. Emotional symptoms in inattentive primary school children: a population-based study. *J Atten Disord* 2008 Mar;11(5):580-7.

Sorheim Nilsen, T., Eisemann, M., & Kvernmo, S. (2011). The Strengths and Difficulties Questionnaire (SDQ): What kinds of problems predict self-, parent- and teacher reported impact score? *European Child and Adolescent Psychiatry*, 20, S217. doi: <http://dx.doi.org/10.1007/s00787-011-0181-5>

Vaage, A. B., Thomsen, P. H., Rousseau, C., Wentzel-Larsen, T., Ta, T. V., & Hauff, E. (2011). Paternal predictors of the mental health of children of Vietnamese refugees. *Child and Adolescent Psychiatry and Mental Health*, 5, 2. doi: <http://dx.doi.org/10.1186/1753-2000-5-2>

Ikke norsk

Nabuzoka D, Ronning JA, Handegard BH. Exposure to bullying, reactions and psychological adjustment of secondary school students. *Educational Psychology* 2009;29(7):849-66.

Steinhausen HC, Novik TS, Baldursson G, Curatolo P, Lorenzo MJ, Pereira RR, et al. Co-existing psychiatric problems in ADHD in the ADORE cohort. *European Child & Adolescent Psychiatry* 2006;15(Suppl1):25-9.

Ikke SDQ

Waaktaar T, Borge AIH, Christie HJ, Torgersen S. Youth-parent consistencies on ratings of difficulties and prosocial behavior: Exploration of an at-risk sample. *Scand J Psychol* 2005;46(2):179-88.