

## Vedlegg til

Kornør, H. & Heyerdahl, S. (2014). Måleegenskaper ved den norske versjonen av Strengths and Difficulties Questionnaire, lærerrapport (SDQ-T). *PsykTestBarn*, 2:5.

## Vedlegg 1. Ekskluderte publikasjoner

### Ingen SDQ-data

Solheim, E., Berg-Nielsen, T. S., & Wichstrom, L. (2012). The three dimensions of the student-teacher relationship scale: CC validation in a preschool sample. *Journal of Psychoeducational Assessment*, 30(3), 250-263. doi: <http://dx.doi.org/10.1177/0734282911423356>

Waaktaar T, Borge AIH, Christie HJ, Torgersen S. Youth-parent consistencies on ratings of difficulties and prosocial behavior: Exploration of an at-risk sample. *Scand J Psychol* 2005;46(2):179-88.

### Data fra andre land enn Norge

Achenbach TM, Becker A, Dopfner M, Heiervang E, Roessner V, Steinhausen H-C, et al. Multicultural assessment of child and adolescent psychopathology with ASEBA and SDQ instruments: Research findings, applications, and future directions. *J Child Psychol Psychiatry* 2008;49(3):251-75.

Nabuzoka D, Ronning JA, Handegard BH. Exposure to bullying, reactions and psychological adjustment of secondary school students. *Educational Psychology* 2009;29(7):849-66.

Steinhausen HC, Novik TS, Baldursson G, Curatolo P, Lorenzo MJ, Pereira RR, et al. Co-existing psychiatric problems in ADHD in the ADORE cohort. *European Child & Adolescent Psychiatry* 2006;15(Suppl1):25-9.

### Ingen relevante data

Alfstad K, Clench-Aas J, Van RB, Gjerstad L, Lossius MI. Changing prevalence of psychiatric symptoms in children and youth with epilepsy. A population based study - The akershus health profile study. *Epilepsia* 2009 Nov;Conference: 2009 Annual Meeting of the American Epilepsy Society Boston, MA United States.

Bøe, T., Overland, S., Lundervold, A. J., & Hysing, M. (2012). Socioeconomic status and children's mental health: Results from the Bergen child study. *Social Psychiatry and Psychiatric Epidemiology*, 47(10), 1557-1566. doi: <http://dx.doi.org/10.1007/s00127-011-0462-9>

Brøndbo, P. H., Mathiassen, B., Martinussen, M., Heiervang, E., Eriksen, M., Moe, T. F., . . . Kvernmo, S. (2011). The Strengths and Difficulties Questionnaire as a screening instrument for Norwegian Child and Adolescent Mental Health Services, application of UK scoring algorithms. *Child and Adolescent Psychiatry and Mental Health*, 5, 32.

Cuypers, K., De Ridder, K., & Strandheim, A. (2011). The effect of therapeutic horseback riding on 5 children with attention deficit hyperactivity disorder: A pilot study. *The Journal of Alternative and Complementary Medicine*, 17(10), 901-908. doi: <http://dx.doi.org/10.1089/acm.2010.0547>

Eilertsen, M. E. B., Rannestad, T., Indredavik, M. S., Vik, T., Reinfjell, T., & Killingberg, H. (2010). Psychosocial health in children and adolescents surviving cancer. *Pediatric Blood and Cancer*, 55 (5), 983. doi: <http://dx.doi.org/10.1002/pbc.22779>

Elgen, S. K., Leversen, K. T., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Mental health at 5 years among children born extremely preterm: A national population-based study. *European Child and Adolescent Psychiatry*, 21(10), 583-589. doi: <http://dx.doi.org/10.1007/s00787-012-0298-1>

Fosse, H. E., Stormark, K. M., Pallesen, S., Nordhus, I. H., & Bjorvatn, B. (2010). Sleep problems and mental health problems in school-aged children (7-12 years): A longitudinal population-based study. *Journal of Sleep Research*, 19, 254. doi: <http://dx.doi.org/10.1111/j.1365-2869.2010.00868.x>

Grindvik AS, Hodol JS, Vik T, Evensen KA, Skranes J, Brubakk AM, et al. Bullying among adolescents with very low birth weight. *Acta Paediatr* 2009;98(6):1049-56.

Halvorsen JA, Stern RS, Dalgard F, Thoresen M, Bjertness E, Lien L. Suicidal ideation, mental health problems and social impairment are increased in acne: A population-based study in adolescents. *J Invest Dermatol* 2010 Sep

Heyerdahl S. SDQ - strength and difficulties questionnaire : en orientering om et nytt spørreskjema for kartlegging av mental helse hos barn og unge, brukt i UNGHUBRO, OPPHED og TROFINN. *Norsk epidemiologi* 2003;(Årg. 13, nr 1):127-35.

Hysing M. Sleep and emotional problems in children with a chronic illness. *J Sleep Res* 2010 Sep;Conference: 20th Congress of the European Sleep Research Society Lisbon Portugal:204.

Hysing, M. (2010). Sleep and emotional problems in children with a chronic illness. *Journal of Sleep Research*, 19, 204. doi: <http://dx.doi.org/10.1111/j.1365-2869.2010.00868.x>

Killingberg, H., Eilertsen, M. E., & Ingebrigtsen, O. (2010). Rehabilitation for children with late effects after cancer. *Pediatric Blood and Cancer*, 55 (5), 981. doi: <http://dx.doi.org/10.1002/pbc.22779>

Lange, K., De Beaufort, C., Fisher, L. K., Hoey, H., Kocova, M., Mortensen, H. B., . . . Swift, P. (2011). Prevalence of behaviour difficulties and their predictors in an international cohort of 1090 young children with type 1 diabetes. *Pediatric Diabetes*, 12, 20. doi: <http://dx.doi.org/10.1111/j.1399-5448.2011.01817.x>

Lien L, Green K, Thoresen M, Bjertness E. Atopic conditions and mental health problems: A 3-year follow-up study. *Eur Child Adolesc Psychiatry* 2010 Sep;19(9):705-13.

Lien L, Green K, Welander-Vatn A, Bjertness E. Mental and somatic health complaints associated with school bullying between 10th and 12th grade students; results from cross sectional studies in Oslo, Norway. *Clin Pract Epidemiol Ment Health* 2009;5:6.

Lien L, Lien N, Heyerdahl S, Thoresen M, Bjertness E. Consumption of soft drinks and hyperactivity, mental distress, and conduct problems among adolescents in Oslo, Norway. *Am J Public Health* 2006;96(10):1815-20.

Lien L. The association between mental health problems and inflammatory conditions across gender and immigrant status: A population-based cross-sectional study among 10th-grade students. *Scand J Public Health* 2008;36(4):353-60.

Moe, T. F., & Sæther, G. (2010). The ability of the strengths and difficulties questionnaire to detect mental health disorders in a child and adolescent outpatient clinic in Northern-Norway. Tromsø: University of Tromsø.

Nøvik TS, Hervas A, Ralston SJ, Dalsgaard S, Pereira RR, Lorenzo MJ. Influence of gender on Attention-Deficit/Hyperactivity Disorder in Europe - ADORE. *European Child & Adolescent Psychiatry* 2006;15(Suppl1):5-24.

Ogrim, G., Kropotov, J., & Hestad, K. (2012). The quantitative EEG theta/beta ratio in attention deficit/hyperactivity disorder and normal controls: Sensitivity, specificity, and behavioral correlates. *Psychiatry Research*, 198(3), 482-488. doi: <http://dx.doi.org/10.1016/j.psychres.2011.12.041>

Posserud, M., Lundervold, A. J., Lie, S. A., & Gillberg, C. (2010). The prevalence of autism spectrum disorders: Impact of diagnostic instrument and non-response bias. *Social Psychiatry and Psychiatric Epidemiology*, 45(3), 319-327. doi: <http://dx.doi.org/10.1007/s00127-009-0087-4>

Posserud, M.-B., Lundervold, A. J., & Gillberg, C. (2006). Autistic features in a total population of 7-9-year-old children assessed by the ASSQ (Autism Spectrum Screening Questionnaire). *Journal of Child Psychology and Psychiatry*, 47(2), 167-175. doi: <http://dx.doi.org/10.1111/j.1469-7610.2005.01462.x>

Preuss U, Ralston SJ, Baldursson G, Falissard B, Lorenzo MJ, Rodrigues Pereira R, et al. Study design, baseline patient characteristics and intervention in a cross-cultural framework: Results from the ADORE study. *European Child & Adolescent Psychiatry* 2006;15(Suppl1):4-19.

Reinfjell T, Lofstad GE, Nordahl HM, Vikan A, Diseth TH. Children in remission from acute lymphoblastic leukaemia: mental health, psychosocial adjustment and parental functioning. *Eur J Cancer Care (Engl)* 2009 Jul;18(4):364-70.

Sandvik V, Hysing M, Lundervold AJ. Strengths and Difficulties Questionnaire (SDQ) in assessment of psychological problems in children with mental retardation. [Norwegian]. *Tidsskrift for Norsk Psykologforening* 2007;44(6):750-4.

Sivertsen, B., Posserud, M.-B., Gillberg, C., Lundervold, A. J., & Hysing, M. (2012). Sleep problems in children with autism spectrum problems: A longitudinal population-based study. *Autism*, 16(2), 139-150. doi: <http://dx.doi.org/10.1177/1362361311404255>

Sørensen L, Hugdahl K, Lundervold AJ. Emotional symptoms in inattentive primary school children: a population-based study. *J Atten Disord* 2008 Mar;11(5):580-7.

## Data fra andre SDQ-versjoner enn SDQ-T

Aune, T., & Stiles, T. C. (2009). Universal-based prevention of syndromal and subsyndromal social anxiety: A randomized controlled study. *Journal of Consulting and Clinical Psychology*, 77(5), 867-879. doi: <http://dx.doi.org/10.1037/a0015813>

Aune, T., Stiles, T. C., & Svarva, K. (2008). Psychometric properties of the Social Phobia and Anxiety Inventory for children using a non-American population-based sample. *Journal of Anxiety Disorders*, 22(6), 1075-1086. doi: <http://dx.doi.org/10.1016/j.janxdis.2007.11.006>

Bals, M., Turi, A. L., Skre, I., & Kvernmo, S. (2011). The relationship between internalizing and externalizing symptoms and cultural resilience factors in Indigenous Sami youth from Arctic Norway. *International Journal of Circumpolar Health*, 70(1), 37-45.

Becker, A., Steinhausen, H.-C., Baldursson, G., Dalgaard, S., Lorenzo, M. J., Ralston, S. J. et al. (2006). Psychopathological screening of children with ADHD: Strengths and Difficulties Questionnaire in a pan-European study. *European Child & Adolescent Psychiatry*, 15(Suppl1), 56-62. doi: <http://dx.doi.org/10.1007/s00787-006-1008-7>

Diseth, T. H., Tangeraas, T., Reinfjell, T., & Bjerre, A. (2011). Kidney transplantation in childhood: mental health and quality of life of children and caregivers. *Pediatric Nephrology*, 26(10), 1881-1892. doi: <http://dx.doi.org/10.1007/s00467-011-1887-9>

Elgen, S., Leversen, K., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Mental health among children born extremely premature: A national population based study. *European Psychiatry*, 27. doi: <http://dx.doi.org/10.1016/S0924-9338%2812%2974112-3>

Hysing M, Elgen I, Gillberg C, Lie SA, Lundervold AJ. Chronic physical illness and mental health in children. Results from a large-scale population study. *J Child Psychol Psychiatry* 2007;48(8):785-92.

Hysing M, Elgen I, Gillberg C, Lundervold AJ. Emotional and behavioural problems in subgroups of children with chronic illness: results from a large-scale population study. *Child Care Health Dev* 2009 Jul;35(4):527-33.

Hysing M, Sivertsen B, Stormark KM, Elgen I, Lundervold AJ. Sleep in children with chronic illness, and the relation to emotional and behavioral problems--A population-based study. *J Pediatr Psychol* 2009;34(6):665-70.

Ingul, J. M., Klockner, C. A., Silverman, W. K., & Nordahl, H. M. (2012). Adolescent school absenteeism: Modelling social and individual risk factors. *Child and Adolescent Mental Health*, 17(2), 93-100. doi: <http://dx.doi.org/10.1111/j.1475-3588.2011.00615.x>

Iversen AC, Jakobsen R, Havik T, Hysing M, Stormark KM. Mental health problems among child welfare clients living at home. *Child Care in Practice* 2007;13(4):387-99.

Karevold, E., Coplan, R., Stoolmiller, M., & Mathiesen, K. S. (2011). A longitudinal study of the links between temperamental shyness, activity, and trajectories of internalising problems from infancy to middle childhood. *Australian Journal of Psychology*, 63(1), 36-43. doi: <http://dx.doi.org/10.1111/j.1742-9536.2011.00005.x>

Lien L, Oppedal B, Haavet OR, Hauff E, Thoresen M, Bjertness E. Own and parental war experience as a risk factor for mental health problems among adolescents with an immigrant background: results from a cross sectional study in Oslo, Norway. *Clin Pract Epidemiol Ment Health* 2006;2:30.

Lien L, Tambs K, Oppedal B, Heyerdahl S, Bjertness E. Is relatively young age within a school year a risk factor for mental health problems and poor school performance? A population-based cross-sectional study of adolescents in Oslo, Norway. *BMC Public Health* 2005;5:102.

Lossius MI, Clench-Aas J, Roy B, Mowinckel P, Gjerstad L. Psychiatric symptoms in adolescents with epilepsy in junior high school in Norway: A population survey. *Epilepsy Behav* 2006;9(2):286-92.

Mathiassen, B., Brondbo, P. H., Waterloo, K., Martinussen, M., Eriksen, M., Hanssen-Bauer, K., & Kvernmo, S. (2012). IQ as a predictor of clinician-rated mental health problems in children and adolescents. *British Journal of Clinical Psychology*, 51(2), 185-196. doi: <http://dx.doi.org/10.1111/j.2044-8260.2011.02023.x>

Mathiesen KS, Prior M. The impact of temperament factors and family functioning on resilience processes from infancy to school age. *European Journal of Developmental Psychology* 2006 Dec;3(4):357-87.

Nygaard, E., Jensen, T. K., & Dyb, G. (2012). Stability of posttraumatic stress reaction factors and their relation to general mental health problems in children: A longitudinal study. *Journal of Clinical Child and Adolescent Psychology*, 41(1), 15-26. doi: <http://dx.doi.org/10.1080/15374416.2012.632344>

Obel C, Heiervang E, Rodriguez A, Heyerdahl S, Smedje H, Sourander A, et al. The strengths and difficulties questionnaire in the nordic countries. *European Child and Adolescent Psychiatry*, Supplement 2004;13(2):II/32-II/39.

Oppedal B, Roysamb E, Heyerdahl S. Ethnic group, acculturation, and psychiatric problems in young immigrants. *Journal of Child Psychology and Psychiatry* 2005;46(6):646-60.

Oppedal, B. (2011). The role of social support in the association between perceived discrimination and mental health among youth immigrants in Norway. *International Journal of Developmental Science*, 5(1-2), 85-99.

Rønning JA, Handegard BH, Sourander A, Mørch W-T. The Strengths and Difficulties Self-Report Questionnaire as a screening instrument in Norwegian community samples. *Eur Child Adolesc Psychiatry* 2004;13(2):73-82.

Rønning, J. A., Handegard, B. H., & Sourander, A. (2004). Self-perceived peer harassment in a community sample of Norwegian school children. *Child Abuse and Neglect*, 28(10), 1067-1079. doi: <http://dx.doi.org/10.1016/j.chabu.2004.04.006>

Sagatun A, Lien L, Sogaard AJ, Bjertness E, Heyerdahl S. Ethnic Norwegian and ethnic minority adolescents in Oslo, Norway. *Soc Psychiatry Psychiatr Epidemiol* 2008;43(2):87-95.

Sagatun A, Sogaard AJ, Bjertness E, Selmer R, Heyerdahl S. The association between weekly hours of physical activity and mental health: a three-year follow-up study of 15-16-year-old students in the city of Oslo, Norway. *BMC Public Health* 2007;7:155.

Sivertsen, B., Hysing, M., Elgen, I., Stormark, K. M., & Lundervold, A. J. (2009). Chronicity of sleep problems in children with chronic illness: A longitudinal population-based study. *Child and Adolescent Psychiatry and Mental Health*, 3, 22. doi: <http://dx.doi.org/10.1186/1753-2000-3-22>

Söderqvist, S., Nutley, S. B., Ottersen, J., Grill, K. M., & Klingberg, T. (2012). Computerized training of non-verbal reasoning and working memory in children with intellectual disability. *Frontiers in Human Neuroscience*, 6, 271. doi: <http://dx.doi.org/10.3389/fnhum.2012.00271>

Sorheim Nilsen, T., Eisemann, M., & Kvernmo, S. (2011). The Strengths and Difficulties Questionnaire (SDQ): What kinds of problems predict self-, parent- and teacher reported impact score? *European Child and Adolescent Psychiatry*, 20, S217. doi: <http://dx.doi.org/10.1007/s00787-011-0181-5>

Vaage AB, Tingvold L, Hauff E, Van Ta T, Wentzel-Larsen T, Clench-Aas J, et al. Better mental health in children of Vietnamese refugees compared with their Norwegian peers - a matter of cultural difference? *Child Adolesc Psychiatry Ment Health* 2009;3(1):34.

Vaage, A. B., Thomsen, P. H., Rousseau, C., Wentzel-Larsen, T., Ta, T. V., & Hauff, E. (2011). Paternal predictors of the mental health of children of Vietnamese refugees. *Child and Adolescent Psychiatry and Mental Health*, 5, 2. doi: <http://dx.doi.org/10.1186/1753-2000-5-2>

Van RB, Groholt B, Heyerdahl S, Clench-Aas J. Understanding discrepancies in parent-child reporting of emotional and behavioural problems: Effects of relational and socio-demographic factors. *BMC Psychiatry* 2010;10:56.

Van Roy B, Groholt B, Heyerdahl S, Clench-Aas J. Self-reported strengths and difficulties in a large Norwegian population 10-19 years: Age and gender specific results of the extended SDQ-questionnaire. *Eur Child Adolesc Psychiatry* 2006;15(4):189-98.

Van Roy B, Kristensen H, Groholt B, Clench-Aas J. Prevalence and characteristics of significant social anxiety in children aged 8-13 years. *Soc Psychiatry Psychiatr Epidemiol* 2009;44(5):407-15.

Van Roy B, Veenstra M, Clench-Aas J. Construct validity of the five-factor Strengths and Difficulties Questionnaire (SDQ) in pre-, early, and late adolescence. *J Child Psychol Psychiatry* 2008 Dec;49(12):1304-12.

Van Roy E. Mental health problems and their impact in a cross-sectional study of Norwegian children and adolescents aged 8-19 years: a study based on results using the Strengths and Difficulties Questionnaire as a measure of psychological adjustment. Oslo: Unipub; 2010.

Wichstrøm, L., Berg-Nielsen, T. S., Angold, A., Egger, H. L., Solheim, E., & Sveen, T. H. (2012). Prevalence of psychiatric disorders in preschoolers. *Journal of Child Psychology and Psychiatry*, 53(6), 695-705. doi: <http://dx.doi.org/10.1111/j.1469-7610.2011.02514.x>